## Message

From: Nonresponsive based on revised scope @erlic.com]

**Sent**: 5/22/2020 3:20:15 PM

To: Wagner, Christine [Wagner.Christine@epa.gov]

Subject: Cost through 5/8

Attachments: Nonresponsive based on revised scope vcf; Draft 1900-55 3-S467 5-8-2020 (IOL).pdf

## Chris.

Please see attached IOL for 5/8 for our costs. We are a is still verifying costs and making sure we have captured everything.

Enjoy the holiday weekend & as per usual we have 2 days of rain in Jersey.

Let me know if you have any questions.

Thanks

## Nonresponsive based on revised scope

Fax (636) 680-2545 Shiloh Church Road Site (3-5467) 17018 L.P. Bailey Memorial Highway Nathalie, VA 24577 www.erilc.com

No job is so important and no service so urgent, that we cannot take time to perform our work safely.

Hazardous Waste Removal and Response Professionals





Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.